

SMARTCASE™ S520

Chassis Kit Solution



Mini-STX Motherboards
D3654-B, D3664-B

FOR



Industrial chassis incl. specific heatsink for enhanced operating temperature range

- ▶ Ultra-Compact Design
- ▶ 36 x 147 x 165 mm
- ▶ Front & Rear USB
- ▶ Horizontal or Vertical Operation
- ▶ VESA- and Wall Mount Option


POSSIBILITIES START HERE



TECHNICAL INFORMATION

CHASSIS DATA	DIMENSIONS COLOUR WEIGHT	36 x 147 x 165 mm (W x H x D) black ~ 0.4 kg
ENVIRONMENTAL CONDITIONS	OPERATING TEMPERATURE HUMIDITY	0 °C - 40 °C* 5 % - 85 % relative humidity (non-condensing)
APPROVALS & CERTIFICATIONS	EMC	CE Class B, Industrial Immunity (EN 61000-6-2), FCC Class B (verified)
PACKAGE CONTENT		Chassis desk stand (vertical mode, removable) Rubber feet (horizontal mode, removable) Mounting bracket for 2.5" SATA drive (HDD or SSD) Chassis bottom/top incl. front bezel; Rear I/O with integrated EMI gasket HDD carrier Heatsink
CHASSIS FEATURES	THEFT PROTECTION MOUNTING OPTIONS	Kensington lock support Integrated WLAN antennas and speaker kit Wall Mount VESA Kit DC-in holder

*Chassis ambient temperature; upper limit depends on system configuration



HEATSINK

- ▶ Specific heatsink (heatpipe / fan) designed for 35 W TDP
- ▶ DC blower PWM @ 5 V, max. 3 W, 60 x 15 mm
- ▶ Max. 6.300 rpm, max. 53 dbA, 50.000 hrs @ 40 °C



▶ CHASSIS SAMPLE CONFIGURATION

- ▶ Motherboard D3654-B
- ▶ Heatsink
- ▶ M.2 2280 SSD
- ▶ M.2 2230 WLAN/Bluetooth
- ▶ SO-DIMM DDR4
- ▶ HDD/SSD mounting bracket (no drive installed)
- ▶ Chassis top cover not shown



▶ CHASSIS REAR VIEW

- ▶ Rubber feet for horizontal operating mode installed (fixed by screws)

Note: As the motherboard D3664-B provides an additional USB type-C port a different rear chassis wall is required for SMARTCASE S520. This chassis wall (K1056-B520) is included in the D3664-B motherboard delivery kit.



▶ ORDERING INFORMATION

ARTICLE	PART NO.	DESCRIPTION
CHASSIS KIT SOLUTION	F5000-B2	10x chassis kit incl. 10x heatsink
ACCESSORIES		
VESA MOUNTING KIT	F5000-X2	VESA adapter incl. mounting screws
AC ADAPTER 19V / 65W	F5000-P3	AC Adapter, 19 V/3,4 A, 65 W
SATA DATA/POWER CABLE	F5000-K12	for optional 2.5" drive (Y4033-H103)
INTERNAL SPEAKER KIT	F5000-K9	Mono Speaker + Mounting Rubber
INTERNAL WLAN KIT	F5000-W2	M.2 2230 WLAN module Intel 9260 NON VPRO, left (grey) / right (black) Antenna (incl. cable)
WALLMOUNT BRACKETS	F5000-X1	2x Brackets per chassis incl. screws
DC-IN HOLDER	F5000-X3	Holder incl. screws

▶ Global Headquarters

Kontron S&T AG

Lise-Meitner-Str. 3-5
 86156 Augsburg, Germany
 Tel.: + 49 821 4086 0
 Fax: + 49 821 4086 111
 info@kontron.com
www.kontron.com